

Visit us at www.yurts.com





Pricing and Order Booklet

From tropical getaways to Alpine retreats, Pacific Yurts sets the highest standard for successfully adapting a legendary shelter into a modern, flexible, environmentally friendly living structure. Simply put, **no one knows yurts like Pacific Yurts**. As the original designer and manufacturer of the modern yurt, we have built an over 45-year track record of success and innovation. Our thousands of satisfied customers on nearly every continent are testament to our expertise, proven product performance and commitment to outstanding service.



SIZES AVAILABLE

Size (Diameter)	Sq. Ft.	Height At Center	Approx. Base Shipping Weight	Base Price
12'	115	9'	850 lb	\$8,630
14'	155	9'9"	900 lb	\$9,795
16'	200	10'3"	1,000 lb	\$11,200
20'	314	11'	1,350 lb	\$13,740
24'	452	12'6"	1,700 lb	\$15,565
30'	706	14'2"	2,300 lb	\$19,450

^{*}Platform/Floor not included.

OPTIONS See order form on next page

TERMS

- 50% MINIMUM DEPOSIT required with your order; balance upon notification that your yurt is ready for shipment.
- VISA/MASTERCARD/DISCOVER/AMEX/WIRE TRANSFER accepted.
- 20% restock charge on canceled invoice total.
- All prices are subject to change without notice.
- Sales Tax applies where required by law.

STANDARD FEATURES - ALL MODELS

LATTICE WALL: Expandable, clear, kiln dried, Douglas fir lath. Finished with a wood penetrating oil: assembled with aluminum rivets. Finished height is approx. 7'.

RAFTERS: High quality, structural grade Douglas fir, sanded and finished with a wood penetrating oil: includes hardened steel pins which fit into holes in center ring.

CENTER RING: Beautiful laminated Douglas fir compression ring finished with a wood penetrating oil: through-bolted for additional strength.

DOOR & FRAME: Beautiful solid wood door with window and inset wood panel, comes pre-hung and includes weather stripping. Solid brass hinges with bronze finish and quality lockset with lifetime warranty.

DOME: Durable, low maintenance, clear acrylic dome. Optional opener available for extra ventilation.

TENSION CABLE: 1/4" aircraft quality galvanized steel, 7,000 lb. breaking strength for 20', 24' and 30' yurts; 3/16" with 4,200 lb. breaking strength for 12', 14' and 16' yurts.

WINDOWS: Two large fabric windows (54"x45"). Clear vinyl, framed in 2" marine grade velcro. Windows open from outside. Includes zippered weather flaps and sewn-in screens.

TOP COVER: This flame retardant vinyl/polyester fabric provides excellent durability, low maintenance and protection from the elements and includes a 10 year warranty. Overhead seams are electronically bonded together instead of being machine sewn and are impervious to moisture. Our optional premium top cover includes a 15 year warranty. Rain diverter included over every door.

SIDE COVER: Side cover is an acrylic coated 100% polyester fabric that provides exceptional strength, durability and low maintenance; easy clip-on design.

DETAILED INSTRUCTIONS for setting up. Suggested platform construction plans included.

Name & Address	Ship To	Ship To			
Phone & E-mail	Phone				
YURT DIAMETER	□ 12'- \$8,630 □ 14'- \$9,795 □ 16'- \$11,200 □ 20'- \$13,740 □ 24'- \$15,565 □ 30'- \$19,450				
SIDE COVER	Color Dark Linen Forest Green Terra Cotta Olive Other Other				
WINDOWS – includes two Fabric Windows at no charge	Additional Fabric Windows x \$190 Each UV Web Frames x \$50 Each				
Additional crating fee for	Window Awning Frame x \$250 Each Not available on 12' & 14' models				
Glass Windows (see below)	Glass Window System x \$1,450 Each Not available on 12' & 14' models Exterior Trim Color □ Tan □ White □ Bronze				
TOP COVER – includes a	Top Cover 🗅 Putty 🗅 Olive				
Rain Diverter over every door	Choose Valance Color				
	□ Putty □ Olive □ Emerald □ Terra Cotta □ Dusky Blue □ Timber □ English Brown Premium Top Cover □ Tan □ White □ Gray □ Dark Gray □ 12' - \$425 □ 14' - \$445 □ 16' - \$510 □ 20' - \$685 □ 24' - \$765 □ 30' - \$1,085				
	Door Awning \$245 Each □ 6 o'clock □ 3 o'clock □ 9 o'clock	· · · · · · · · · · · · · · · · · · ·			
INSULATION PACKAGE	□ 12' - \$1,225 □ 14' - \$1,380 □ 16' - \$1,560 □ 20' - \$2,005 □				
INSULATION PACKAGE INSULATED WINDOW COVERS		24 - \$2,005			
	x \$50 Each				
DOOR	□ Window □ Panel □ Double Window □ French - \$525 □ Fiberglass □ French Fiberglass - \$765				
☐ Inward Opening	Additional Door & Frame 3 o'clock 9 o'clock 12 o'clock				
☐ Outward Opening	□ Window - \$1,450 □ Panel - \$1,450 □ Double Window - \$1,450 □ French - \$1,975				
Handle on: □ Left □ Right	□ Fiberglass - \$1,450 □ French Fiberglass - \$2,215				
(from Exterior)	Screen Door Std \$390 French - \$485 Upgrade hardware x \$95 Each				
	Door Screen Curtain				
OHOW O WIND OPTIONS	Deadbolt □ With Locking Lever or □ With Passage Lever - \$95 □	Keypad Deadbolt - \$140			
SNOW & WIND OPTIONS	Snow & Wind Kit - Standard Hardware 12' or 14' - \$600				
(Recommended on	Snow & Wind Kit - Stainless Steel Hardware Not available with 2x6 Upgra				
24' & 30' models)	□ 12' or 14' - \$675 □ 16' - \$885 □ 20' - \$1,200 □ 24' - \$1,395 □ 30' - \$1,675				
	Perimeter Blocking (2x4 blocking between studs) Available only with Snow & Wind Kit				
	□ 12' - \$90 □ 14' - \$105 □ 16' - \$120 □ 20' - \$170 □ 24' -	\$190 🗆 30' - \$205			
Available only with the Snow & Wind Kit.	2x6 Rafter/Ring/Hardware Upgrade Available only on the 20', 24' and 30'	- \$2 965			
DOME OPTIONS	□ 20' - \$845 □ 24' - \$1,265 □ 30' - \$1,710 □ Central Column - \$2,965 Tinted Dome □ \$200 Dome Opener □ \$175 Power Dome Opener □ \$285				
	Center Ring Insert Bug Screen or Shade Screen - \$150				
	Dome Screen □ Bug Screen or □ Shade Screen - \$75				
	Fan Support \$65 Not recommended with Center Ring Insert				
STOVE FLASHING	□ \$70 - Std. 8" opening □ Other size				
PACKING & CRATING	Yurt Crating US - \$700 International - \$750				
Freight charges are not included	Glass Window System 1-8 Windows US - \$200 International - \$300				
		TOTAL Sales Tax applies where			
		required by law.			

PACIFIC YURTS ORDER FORM

PACIFIC YURT OPTIONS

WINDOW AND DOOR PLACEMENT

The diagram below (using a clock face) represents a door at 6:00. You can choose your own placement or choose from the following placements.


Restrictions on placement: Windows must be placed 18" minimum from doors and 15" minimum from windows. Doors must be placed at guarter hour locations only.

□ 2 window placement: 8:00 and 4:00


□ 3 window placement: 8:00 and 12:00 and 4:00 □ 4 window placement: 7:30, 10:30, 1:30 and 4:30

□ 5 window placement: 8:00, 10:00, 12:00, 2:00 and 4:00


total windows: Evenly spaced



DOOR HANDLE PLACEMENT







Handle on Right (from Exterior)

FABRIC WINDOW - SIZE OPTIONS Standard Window Vertical Window L Horizontal Window

OPTION DESCRIPTION

Additional Fabric Windows

Windows can be added to provide additional light and ventilation. They are made of clear vinyl, framed in 2" marine grade velcro and include zippered weather flaps and sewn-in screens. Windows open from outside.

Window Awning Frame

Frame consists of an anodized aluminum framework to support the window flap. This creates an overhang allowing the windows to be left open for ventilation.

Glass Window System

Energy efficient glass window (48" wide x 39" tall) with fabric flange and curved wood frame, opens from inside. Includes trim kit. Not available on 12' and 14' models. Requires additional packing and crating charge.

Premium Top Cover

Made of the highest quality roofing material, with a 15 year material manufacturer's warranty, this top is available in tan, white, gray or dark gray. Not for use with the solar arc.

Door Awning

This 5' x 6' piece of roofing fabric is welded over the door and has grommets installed along the three outer edges. When supported by a wood frame (not included), it provides a covered porch. Additional sizes are available.

Insulation

Our seven layer reflective insulation is covered with an attractive fabric liner facing. Custom designed to match your window and door placement. It works by reflecting radiant heat in both directions, keeping the yurt warmer in the winter and cooler in the summer.

Insulated Window Covers

These covers are made of reflective insulation with a fabric liner facing to match the interior insulation. These covers will insulate your windows during the coldest times of the year and are easy to install and remove.

continued on back page

ABOUT SHIPPING

List prices are FOB - Cottage Grove, Oregon. The National Motor Freight Classification for Yurts is: KD Houses or Buildings NOI - Wood. Item No. 38470 - Sub 2. Class 150. We suggest you call our office for additional shipping information.

FOR DOMESTIC SHIPMENTS -

We generally ship freight collect. Shipping weights include approximately 200 lb per yurt for packing materials and crates. There is a packing and crating fee of \$700 per yurt unless you pick it up at our shop. (Glass Windows - add'l charge)

FOR INTERNATIONAL CUSTOMERS -

CIF or other routing quotations will be provided upon request. Packing and crating fees for international freight are \$750 per yurt. Please check with your Customs Agent for further information. (Glass Windows - add'l charge)

PACIFIC YURT OPTIONS (continued)

Window Door

Our standard door features a large window (acrylic) for added light. **Panel Door** also available with inset wood panels in the top and bottom, or choose a **Double Window Door** with acrylic windows in the top and bottom panels.

French Doors

French doors are double doors with the levers in the middle which provide more light, view and a wider opening. Available in wood or fiberglass on 16' or larger yurts.

Fiberglass Door

Ultra-durable insulated door with large double glazed window. Ideal for low maintenance requirements in the harshest environments.

Additional Door & Frame

Add a back or side entrance for easy access to decks, hot tub, etc. Available on 16' or larger yurts.

Screen Door

Beautiful solid wood screen door with selfclosing hinges provides extra ventilation while keeping the bugs out.

Upgrade Hardware for Screen Door

This option upgrades the standard springloaded steel screen door hinges to solid brass butt hinges with bronze finish. Also included is a pneumatic door closer.

Door Screen Curtain

This screen attaches to the top of the door frame, is weighted at the bottom and overlaps in the middle for easy access. Works best with outward-opening door.

Snow & Wind Kit

The snow and wind kit consists of a vertical stud under every rafter that is secured to the rafter, lattice wall and floor. In addition, there is a cable blocking system in the rafters. This kit not only adds rigidity, but provides shear to prevent torque. Recommended for high snow and wind conditions. Stainless steel hardware available.

Perimeter Blocking

Finished 8' 2x4's to be cut and installed between vertical supports to meet IBC standards. Includes screws. Available only with Snow and Wind Kit.

2x6 Rafter/Ring/Hardware Upgrade

This option upgrades the standard rafters, center ring and hardware for increased snow load capacity. Available only with Snow and Wind Kit.

Central Column

Powder coated steel column increases snow load capacity. Available only with Snow and Wind Kit and 2x6 Rafter Upgrade.

Tinted Dome

The tinted dome blocks approximately 60% of the heat coming through the skylight, and only marginally affects the natural light. Keeps the yurt cooler in unshaded locations.

Dome Opener

Opens the dome skylight to allow the escape of hot air or moisture that may get trapped at the ceiling. This creates a natural convection cooling system for refreshing comfort. Includes extension handle.

Power Dome Opener

Our power dome opener option with keychain remote makes it easy to open or close the dome with the touch of a button.

Center Ring Insert

Finely crafted wood frame fits into the center ring and includes bug screen or shade screen.

Dome Screen

Circular hemmed screen attaches to the center ring. Choose bug or shade screen.

Fan Support

This sculpted wood support fits into the center ring and allows the installation of a ceiling fan for improved air circulation.

Stove Flashing

Double metal flashing made of galvanized sheet metal that is powder coated for corrosion resistance and beauty. Standard opening is 8" – other sizes are available.

ADDITIONAL OPTIONS AND PRICING

Cable Tie-Down

The cable tie-down system attaches to the center ring in four locations and secures to a recessed eyebolt in the center of the floor. It can be installed and removed as needed for severe wind conditions. Designed to be used in conjunction with the Snow and Wind Kit as an additional level of protection. \$240

Solar Arc

The solar arc is translucent vinyl roofing fabric integrated into the top cover in an arc shape that allows diffused light into the yurt (see photo in brochure). This option is not recommended for hot unshaded locations or where full insulation is required. It is available on the standard top cover only. *Temporarily unavailable*.

Perimeter Gutter System

Curved rigid PVC gutter that comes in approximate 6' sections. Available in brown or white. On site assembly required and can be retrofit. \$495 to \$1,395

"Your company has always been and continues to be a pleasure to work with. I am amazed at the quality of the product you produce and the efforts you go to satisfy your customers." – Kathryn L., Colorado

"I chose Pacific Yurts because of their reputation, dependability of the company and excellent customer service."

- Laine S., Maine